	Biomedical Interventions for HIV Pre	vention Phase 2b &	3 Clinical	Trials Details (see Prevention	on Trial Timeline)	
Notes	Full Trial Name	Also known as	Phase	Sponsor(s)	# of people enrolled/expected enrollment	Country(ies)
NOLES	i un mane	Male Circumcision	Filase	University of Illinois, NIH,	emonnent	Country(les)
		and HIV Rates in		Canadian Institute of Health		
C1	Trial of Male Circumcision to Reduce HIV Incidence	Kenya	3	Research	2,784 m	Kenya
		Male Circumcision			, -	. ,
		HIV Prevention		Johns Hopkins University,		
C2	Trial of Male Circumcision: HIV, STD and Behavioral Effects i	Rakai Trial	3	NIH	5,000 m	Uganda
	Safety of Male Circumcision in HIV Infected Men and					
C3	Efficacy in Preventing Transmission to Women		3	JHU, Gates Foundation	1361 m, 7,000 w	Uganda
	The Latex Diaphragm to Prevent HIV Acquisition Among			University of California at		
		Diagphram &		San Francisco, Gates		South Africa and
BM1	Women: A Female-Controlled, Physical Barrier of the Cervix	Replens Gel	3	Foundation	5,045 w	Zimbabwe
	Dhana C. Chada at Efficience and Cofeta at the Microbialds			Barriation Courtil Cotton		
M1	Phase 3 Study of Efficacy and Safety of the Microbicide Carraguard in Preventing Seroconversion in Women	Corroquord	3	Population Council, Gates Foundation, USAID	6639 w	South Africa
IVIT	Carraguard in Freventing Seroconversion in Women	Carraguard	3	Foundation, OSAID	0039 W	South Airica
	Phase 2/2P peters and effectiveness study of two veginal					Molowi South Africa
	Phase 2/2B safety and effectiveness study of two vaginal microbicides BufferGel and 0.5% PRO 2000/5 Gel (P) for the			NIH-NIAID, Indevus,		Malawi, South Africa, USA, Zambia,
M2		MTN 035	2/2B	ReProtect	3100 w	Zimbabwe, Nigeria
	An international, multi-center randomised, double-blind,		_,		2.50	
	placebo-controlled trial to evaluate the efficacy and safety of					South Africa,
	0.5% and 2% PRO 2000/5 gels for the prevention of					Tanzania, Uganda,
M3		Pro-2000/5	3	Indevus, MRC, DFID	9673 w	Zambia
						Uganda, Zimbabwe,
	Randomized Controlled Trial of 6% CS Gel and the Effect on			CONRAD, USAID, Gates		India, South Africa,
M4	Vaginal HIV Transmission	Cellulose sulfate gel	3	Foundation	2574 w	Benin
	Randomized Controlled Trial of Cellulose Sulfate Gel and			Family Health International,		
M5	HIV in Nigeria	Cellulose sulfate gel	3	USAID , CONRAD	2160 w	Nigeria
	A Phase 3, randomized, double-lind, placebo-controlled trial of acyclovir for the reduction of HIV acquistion among high			University of Washington,		Peru, South Africa, Zambia, Zimbabwe,
H1	risk HSV-2 seropositve, HIV-seronegative individuals	HPTN 039	3	NIH	3277 m and w	USA
						Botswana, Kenya,
					0.000 11 1 1	Rwanda, South Africa
H2	Dhana III Dan danainad Blanch a Controllad Trial of IIOV C.C.	Partners in	3	University of Washington, Gates Foundation	3,000 discordant	Tanzania, Uganda, Zambia
п∠ Р1	Phase III Randomized Placebo-Controlled Trial of HSV-2 Sup Study of the Safety and Efficacy of Daily Tenofovir to Prevent		3	CDC	heterosexual couples 2000 IDU	Thailand
-	Study of the Salety and Emicacy of Daily Teriolovii to Frevent	Botswana TDF +	3	CBC	2000 100	Titalianu
P2	Study of the Safety and Efficacy of Daily Tenofovir Disoproxil		3	CDC	1200 m and w	Botswana
	Clady of the carety and Emisady of Bally Teriologic Biooproxii			020	1400 MSM (proposal to	Dotomana
P3	Chemoprophylaxis for HIV Prevention in Men	Andean PREP Trail	3	NIH	increase to 2700)	Peru, Ecuador
	Phase 2 Extended Safety Study of Tenofovir-Disoproxil					,
P4	Fumarate (TDF) among HIV-1 Negative Men		2	CDC	400 MSM	US A
	A Randomized trial to Evaluate the Effectivness of					
	Antretroviral Therapy plus HIV Primary Care versus HIV					Malawi, India,
	Primary Care Alone to Prevent the Sexual Transmission of			NIH, GSK, Boehringer-	1750 serodiscordant	Zimbabwe, Brazil,
IP1	HIV-1 in Serodiscordant Couples	HPTN 052	3	Ingelheim	couples	Thailand, USA
	The purpose of the Merck/HVTN proof of concept trial is to obtain information about the safety of the MRKAd5 HIV-1					Australia, Brazil, Canada, Dominican Republic, Haiti,
		HVTN 502/ Merck				Jamaica, Peru, Puert
V1	can prevent HIV infection	0123 Step Study	2B	Merck & Co., NIH, HVTN	3000 m and w	Rico, USA
			<u> </u>	Merck Research		-,
				Laboratories, NIH, HVTN,		
V2	A Multicenter Double-Blind Randomized Placebo-Controlled F	HVTN503	2B	SAAVI	3000 m and w	South Africa
				Thailand Ministry of Public Health, Thai AIDS Vaccine		
				Evaluation Group, Armed		
			1	Forces Research Institute of		