

Institut national de la santé et de la recherche médicale



ANRS FRENCH PERINATAL COHORT EPF

Josiane Warszawski, PI, Hôpital Bicêtre, France

Stéphane BLANCHE Constance DELAUGERRE Catherine DOLLFUS Albert FAYE Karima HAMRENE Jérôme LE CHENADEC Laurent MANDELBROT Christine ROUZIOUX Jean-Paul TEGLAS Roland TUBIANA Hôpital Necker, Paris Hôpital Necker, Paris Hôpital Trousseau, Paris Hôpital Robert Debré, Paris Hôpital Bicêtre, Le Kremlin -Bicêtre Hôpital Bicêt re, Le Kremlin -Bicêtre Hôpital Louis Mourier, Colombes Hôpital Necker, Paris Hôpital Bicêtre, Le Kremlin -Bicêtre Hôpital Pitié Salpêtrière, Paris

OBJECTIVES

- 1 Mother to child transmission of HIV: rate and risk factors
- 2 Toxicity of ARV for the pregnancy and the mother
- 3 Toxicity of the perinatal exposure to the ARV for non infected children

4 - Prognosis, living conditions, effect and toxicity of ARV for infected children


GENERAL PROTOCOL

- Multicentric cohort : 80 sites
- initiated in 1986, supported by the ANRS
- PREGNANCY
 - ✓inclusion HIV infected pregnant women
 - → Q filled by obstetricians or pediatrists of maternity
- NON INFECTED CHILDREN

✓ follow-up every 6 months \rightarrow 2 years old →Q filled by pediatrists of maternity

- INFECTED CHILDREN
 - \checkmark follow-up every 6 months \rightarrow 18 years old
 - → Q filled by **hospital pediatrists**
 - free care management

Mother-child pairs included in EPF



Numbers of infected children

- 592 infected children included since 1986
- 118 died

Alive children	
< 5 years	53 (15%)
5 - 9 years	82 (22%)
10 - 14 years	144 (48%)
15 - 17 years	64 (17%)
≥ 18 years	26 (7%)
Total	369