

# Adenovirus Diagnostics Working Group Discussion

### From TAVI Forum 8 (Thomas Lion)



Management of adenovirus infection in patients after haematopoietic stem cell transplantation: state-of-the-art and real-life current approach

A position statement on behalf of the Infectious Diseases Working Party of the European Society of Blood and Marrow Transplantation

Hiwarkar P, Kosulin K, Cesaro S, Mikulska M, Styczynski J, Wynn R, Lion T

Recommendations for anti-adenoviral treatment

Tapering of immunosuppression, whenever possible
Preemptive antiviral therapy (Cidofovir: 1mg/kg 3x per week)

in the presence of

Viremia >1000 HAdV copies/µl (AII) (in lymphopenic pts with circulating CD3+ T-cells < 25/µl)

HAdV positivity in stool with repidly rising levels above the critical threshold (BII)

**THE FORUM** For Collaborative Research™

#### Human Adenoviruses: a Steadily Growing Family

#### Double-stranded DNA-Virus

#### Genome size: ~36 kb

7 species (subgenera): A-G	
Species	Types (serotyping/computational analysis)
А	12, 18, 31, <b>61</b>
В	3, 7, 11, 14, 16, 21, 34, 35, 50, 55, 66, 68, 76-79. 106
С	1, 2, 5, 6, 57, 89, 104, 108
D	8-10, 13, 15, 17, 19, 20, 22-30, 32, 33, 36-39, 42-49, 51, 53, 54, 56, 58, 59, 60, 63, 64, 65, 67, 69-75, 80-88, 90-103, 105, 107, 109-113
E	4
F	40, 41
G	52

#### Most newly identified HAdV types resulted from homologous recombination events

intraspecies (Interspecies) interspecies recombination

Deghan S, et al. Virology. 2013;443:197-207; Lion T. Clin Microbiol Rev. 2014;27(3):441-462.97-207; Lion T. Clin Microbiol Rev. 2014,27(3):441-62





## From TAVI Forum 8



- Recommendations from discussion
  - Harmonize DNA extraction
    - Controls for differences in efficacy of extraction
  - Consider digital droplet PCR
  - Use WHO internal standards
- Next steps
  - Look for/accumulate available data in pediatric and adult patients



### **Since TAVI Forum 8**



### Small initial planning group

- Thomas Lion, Christina Peters, Anita Lawitschka, Per Ljungman
  - Prepare short questionnaire to gauge Center interest in participating
  - Gather lists from EU pediatric and adult centers
    - Thank you Simone Cesare and Arnaud Dallisier
  - Distribute questionnaire
  - Repeat for non-EU centers

